


**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> :	A3	(11) International Publication Number:	<b>WO 98/21713</b>
G06F 17/60		(43) International Publication Date:	22 May 1998 (22.05.98)
(21) International Application Number:	PCT/US97/20765	(81) Designated States:	AU, CA, JP, MX, US, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).
(22) International Filing Date:	14 November 1997 (14.11.97)	Published	<i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(30) Priority Data:	60/030,492 15 November 1996 (15.11.96) US	(88) Date of publication of the international search report:	12 November 1998 (12.11.98)
(71) Applicant (for all designated States except US):	1.2.1. PRE-CISE INFORMATION LLC [US/US]; 134 Charter Oak Drive, New Canaan, CT 06840 (US).		
(72) Inventors; and			
(75) Inventors/Applicants (for US only):	LEVILLE, Kevin, J. [US/US]; 134 Charter Oak Drive, New Canaan, CT 06840 (US). KLINGENBERG, Tim, P. [US/US]; 12314 East 27th, Spokane, WA 99216 (US). BLYTH, Michael [US/US]; 2311 Central Park, Evanston, IL 60201 (US).		
(74) Agent:	FREDERICK, James, R.; Ware, Fressola, Van der Shuy & Adolphson LLP, Bradford Green, Building Five, 755 Main Street, P.O. Box 224, Monroe, CT 06468 (US).		

## (54) Title: MERCHANTIZING SYSTEM



## (57)Abstract

A host computer (10), which is used to control point of a merchandising system, is interconnected to a brand corporation computer (11) and an in-store computer (15). Brand corporation computer (11) is used to offer current discounts on products while in-store computer (15) serves as an interface to consumer interface kiosks (17) and in-store points of sale (20). The host computer (10) tracks consumer buying behavior, analyzes the information according to brand and retail criteria and based on a specific

Best Available Copy

***FOR THE PURPOSES OF INFORMATION ONLY***

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	NE	Niger	US	United States of America
CA	Canada	IT	Italy	NL	Netherlands	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NO	Norway	VN	Viet Nam
CG	Congo	KE	Kenya	NZ	New Zealand	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	PL	Poland	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PT	Portugal		
CM	Cameroon	KR	Republic of Korea	RO	Romania		
CN	China	KZ	Kazakhstan	RU	Russian Federation		
CU	Cuba	LC	Saint Lucia	SD	Sudan		
CZ	Czech Republic	LI	Liechtenstein	SV	Sweden		
DE	Germany						

## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US97/20765

**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(6) : G06F 17/60  
US CL : 705/14; 235/383

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 235/375, 383; 364/400; 705/1, 14; 707/104

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched  
None

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)  
None

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 3,792,437 A (BLUMENTHAL et al) 12 February 1974, see abstract.	1-20
Y	US 4,908,761 A (TAI) 13 March 1990, see abstract.	1-20
Y	US 5,380,991 A (VALENCIA et al) 10 January 1995, see abstract.	1-20
Y,E	US 5,592,560 A (DEATON et al) 07 January 1997, see abstract.	1-20
Y,E	US 5,621,812 A (DEATON et al) 15 April 1997, see abstract.	1-20
Y,E	US 5,642,485 A (DEATON et al) 24 June 1997, see abstract.	1-20

Further documents are listed in the continuation of Box C.  See patent family annex.

* Special categories of cited documents:	"T"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
* "A" document defining the general state of the art which is not considered to be of particular relevance		
* "B" earlier document published on or after the international filing date	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
* "L" document which may throw doubt on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
* "O" document referring to an oral disclosure, use, exhibition or other means	"Z"	document member of the same patent family
* "P" document published prior to the international filing date but later than the priority date claimed		

Date of the actual completion of the international search	Date of mailing of the international search report
---	--

04 MARCH 1998

18 SEP 1998

Name and mailing address of the ISA/IEA

PAGE 44/97 \* RCVD AT 8/4/2006 10:12:05 AM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-3/15 \* DNIS:2738300 \* CSID:7038467799 \* DURATION (mm:ss):24-26

## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US97/20765

## C (Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT


Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y,E	US 5,644,723 A (DEATON et al) 01 July 1997, see abstract.	1-20
Y,E	US 5,649,114 A (DEATON et al) 15 July 1997, see abstract.	1-20
Y,E	US 5,687,322 A (DEATON et al) 11 November 1997, see abstract.	1-20

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(S1) International Patent Classification <sup>6</sup> : <b>G06F 15/7/00</b>	A1	(11) International Publication Number: <b>WO 95/16971</b> (43) International Publication Date: 22 June 1995 (22.06.95)
(21) International Application Number: <b>PCT/US94/14319</b>	(81) Designated States: JP, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).	
(22) International Filing Date: 13 December 1994 (13.12.94)	Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>	
(30) Priority Data: 08/168,519 16 December 1993 (16.12.93) US		
(71) Applicant: OPEN MARKET, INC. [US/US]; 215 First Street, Cambridge, MA 02141 (US).		
(72) Inventor: GIFFORD, David, K.; 26 Pigeon Hill Road, Westwood, MA 02193 (US).		
(74) Agent: WALPERT, Gary, A.; Fish & Richardson P.C., 225 Franklin Street, Boston, MA 02110-2804 (US).		

(54) Title: DIGITAL ACTIVE ADVERTISING



(57) Abstract

A complete system (200) for the purchasing of goods or information over a computer network (67) is presented. Merchant computers (63, 64) on the network (67) maintain databases of digital advertisements (65, 66) that are accessed by buyer computers (61, 62). In response to user inquiries, buyer computers (61, 62) retrieve and display advertisements from merchant computers (63, 64). A digital advertisement can include a program that is interpreted by a buyer's computer (61, 62). The buyer computers (61, 62) allow the users to purchase the product described by an advertisement. The form of payment can be requested after a purchase is initiated. A payment system (300) performs payment authorizations.

***FOR THE PURPOSES OF INFORMATION ONLY***

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Moritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LJ	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Malta	US	United States of America
FI	Finland			UZ	Uzbekistan
				VN	Viet Nam

WO 95/16971

PCT/US94/14319

- 1 -

DIGITAL ACTIVE ADVERTISING  
BACKGROUND OF THE INVENTION

5       The recent rapid growth of information applications on international public packet-switched computer networks such as the Internet suggests that public computer networks have the potential to establish a new kind of open marketplace for goods and services.

10      Such a marketplace could be created with a network sales system that comprises a plurality of buyer and merchant computers, means for the users of the buyer computers to display digital advertisements from the merchant computers, and means for the users to purchase products

15      described by the advertisements.

A network based sales system will need to allow users to preview products at little or no cost, and will need to make a large number of product advertisements available in a convenient manner. In addition, the shopping system will need to include easy-to-use facilities for a user to purchase desired products using a merchant independent payment method. In addition the network sales will need to allow new buyers and merchants to enter the market.

25      A central requirement for a marketplace is a payment mechanism, but at present no merchant independent payment mechanism is available for computer networks that permits users to utilize conventional financial instruments such as credit cards, debit cards, and demand deposit account balances. We expect that both retail payment and wholesale payment mechanisms will be required for networks, with consumers using the retail mechanism for modest size purchases, and institutions using the wholesale mechanism for performing settlement between trading partners. For wide acceptance the retail mechanism will need to be a logical evolution of existing

WO 95/16971

PCT/US94/14319

- 2 -

credit-card, debit-card, and Automated Clearing House facilities, while for acceptance the wholesale mechanism will need to be an evolved version of corporate electronic funds transfer.

5 These problems of have been approached in the past by network based sales systems wherein, for example, each merchant maintains an account for each user. A user must establish an account with each merchant in advance in order to be able to utilize the merchant. The prior art network based sales systems are not designed to allow 10 users to use their existing credit card and demand deposit accounts for payment, nor are they designed to allow for programs to be included in digital advertisements.

15 According, therefore, it is a primary objective of this invention to provide a user interactive network sales system in which the user can freely use any merchant of choice and utilize existing financial instruments for payment. Other objects include a network 20 sales system which provides a high-quality user interface, which provides users with a wide variety and large volume of advertisements, which is easily extensible to new services, and which is easily expanded to new applications within the existing infrastructure of 25 the system.

Still other objects of the invention are to provide a network payment system that will authorize payment orders and remove part of the risk of fraud from merchants.

30 An unavoidable property of public computer networks is that they are comprised of switching, transmission, and host computer components controlled by many individuals and organizations. Thus it is impossible for a network payment system to depend upon a 35 specified minimum required degree of software, hardware,

WO 95/16971

PCT/US94/14319

- 3 -

and physical security for all of the components in a public network. For example, secret keys stored in a given user's personal computer can be compromised, switches can be tampered with to redirect traffic, and 5 transmission facilities can be intercepted and manipulated.

The risk of performing retail payment in a public network is compounded by statutes that make a payment system operator in part liable for the security lapses of 10 its users. Existing Federal statutes in the United States, including the Electronic Funds Transfer Act and the Consumer Credit Protection Act, require the operator of a payment mechanism to limit consumer liability in many cases. Payment system operators may have other 15 fiduciary responsibilities for wholesale transactions. Similar responsibilities exist in other countries for retail and wholesale transactions.

In existing credit card payment systems, a credit card's issuing bank takes on the fraud risk associated 20 with misuse of the card when a merchant follows established card acceptance protocols. Acceptance protocols can include verifying a card holder's signature on the back of their card and obtaining authorization for payments over a certain value. However, in network based 25 commerce a merchant can not physically examine a purchasers credit card, and thus the fraud risk may revert to the merchant in so called "card not present" transactions. Many merchants can not qualify to take this risk because of their limited financial resources. 30 Thus the invention is important to allow many merchants to participate in network based commerce.

Other objects of the invention include utilizing existing financial instruments such as credit cards, debit cards, and demand deposit accounts for merchant 35 payments.

WO 95/16971

PCT/US94/14319

- 4 -

Existing network payment systems do not connect to the financial system for authorization and are not compatible with conventional financial instruments.

Existing network payment systems include the Simple

- 5 Network Payment Protocol [Dukach, S., SNPP: A Simple  
Network Payment Protocol, MIT Laboratory for Computer  
Science, Cambridge, MA, 1993.], Sirbu's Internet Billing  
Server [Sirbu, M. A., Internet Billing Service Design and  
Prototype Implementation, Information Networking Program,  
10 Carnegie-Mellon University, 1993], and NetCash [Medvinsky,  
G., and Newman, B. C., NetCash: A Design for Practical  
Electronic Currency on the Internet, Proc. 1st ACM Conf.  
on Comp. and Comm. Security, November, 1993].

A further object of the invention is to allow  
15 users in an untrusted network environment to use  
conventional financial instruments without requiring  
modification to existing financial system networks.

The following definitions apply to the present  
invention. A principal is a person, company,  
20 institution, or other entity that is authorized to  
transact business as part of a network payment system. A  
payment order describes the identity of a sender, a  
payment amount, a beneficiary, and a sender unique once.

A sender is a principal making a payment. A beneficiary  
25 is a principal to be paid by the payment system. A  
sender unique nonce is an identifier that is used only  
once by a given sender. An example of sender unique  
nonces are unique timestamps. An external account is an  
account that can be used to settle a payment order for  
30 either a sender or a beneficiary in the external  
financial system. Examples of external accounts include  
demand deposit accounts and credit card accounts. An  
external device is a physical object that is kept in the  
possession of a user for the purpose of identifying the  
35 user.

WO 95/16971

PCT/US94/14319

- 5 -

A network payment system is a service that authorizes and executes digital payment orders that are backed by external accounts. A payment system authenticates a payment order, checks for sufficient funds or credit, and then originates funds transfer transactions to carry out the payment order. A payment system acknowledges acceptance or rejection of a payment order. More than one payment system may exist on a given network, and a given payment system may operate on more than one host to increase its reliability, availability, and performance. An authenticator is a digital value that is appended to a payment order and becomes part of the payment order that authenticates the payment order as genuine.

15

SUMMARY OF THE INVENTION

The invention relates to a network sales system for enabling users to purchase products using a plurality of buyer computers that communicate over a network with a plurality of merchant computers. Each merchant computer has a database of digital advertisements. Each digital advertisement includes a price and a product abstract. Buyer computers request, display, and respond to digital advertisements from merchant computers. Users can purchase products with their buyer computers after they have specified an account to pay for the purchase. A network payment service is used to authorize the purchase before merchant fulfillment is performed.

In a particular aspect of the invention, the merchant computer can request account information when it is not provided by the buyer computer. In another aspect of the invention, the buyer computer can present to a merchant a pre-authorized payment order that is obtained from a network payment system.

In another aspect of the invention, an electronic sales system contains digital advertisements that include

WO 95/16971

PCT/US94/14319

- 6 -

programs. The programs are executed on behalf of a user by a buyer computer, and can lead to a purchase request directed to a merchant computer that performs product fulfillment.

5 In another aspect of the invention a network payment system executes payment orders. A payment order includes a sender, a beneficiary, a payment amount, and a nonce identifier. A payment order is signed by a client computer with an authenticator that is checked by the  
10 payment system. Payment orders are backed by accounts in the banking system, and are authorized by the network payment system by sending messages into a financial authorization network that knows the status of these accounts. The payment system accomplishes settlement by  
15 sending messages into an existing financial system network.

In another aspect, payment orders are authenticated based on the delivery address they specify. In another aspect, the payment system will specify in its  
20 authorization legal delivery addresses. In another aspect, authenticators for payment orders are based on one-time transaction identifiers that are known only to the user and the payment system. In another aspect, payment orders for a given sender are only accepted from  
25 certain client computer network addresses. In another aspect, the network payment system sends messages into a financial authorization system in real-time before the network payment system will authorize a payment order.

#### BRIEF DESCRIPTION OF THE DRAWINGS

30 Other objects, features, and advantages of the invention will appear from the following description taken together with the drawings in which:

Figure 1 is a block diagram of a typical network sales system in accordance with the invention;

WO 95/16971

PCT/US94/14319

- 7 -

Figure 2 is a screen snapshot of a buyer computer display of an overview page from a merchant computer;

Figure 3 is a screen snapshot of a buyer computer display of a page of digital advertisements from a  
5 merchant computer;

Figure 4 is a screen snapshot of a buyer computer display of an account query page;

Figure 5 is a screen snapshot of a buyer computer display of a fulfillment page;

10 Figure 6 is a flow chart illustrating the processing of a sale between a buyer computer and a merchant computer;

Figure 7 is a flow chart illustrating the alternate processing of payment order means for obtaining  
15 missing payment information;

Figure 8 is a screen snapshot of a buyer computer display of an overview page from a merchant computer that contains a query input by the user;

20 Figure 9 is a screen snapshot of a buyer computer display of digital advertisements in response to a user's query;

Figure 10 is a screen snapshot of a buyer computer screen of a purchase confirmation;

25 Figure 11 is a screen snapshot of a buyer display of a fulfillment page like Figure 5;

Figure 12 is a flow chart illustrating an alternate processing of a sale between a buyer computer and a merchant computer where a payment order is pre-authorized;

30 Figure 13 is a block diagram of a typical network payment system in accordance with the invention;

Figure 14 is a flow chart illustrating the authentication, authorization, and settlement of a payment order;

WO 95/16971

PCT/US94/14319

- 8 -

Figure 15 is a flow chart illustrating an alternate processing of the authentication and verification of a payment order where transaction identifiers are used; and

5 Figure 16 is a flow chart illustrating an alternate processing of the authorization of a payment order where real-time approval from the financial authorization network may not be obtained.

DESCRIPTION OF A PARTICULAR PREFERRED EMBODIMENT

10 A network sales system 200 as shown in Figure 1 employs a network 67 to interconnect a plurality of buyer computers 61 and 62, merchant computers 63 and 64, each merchant computer with respective digital advertisement databases 65 and 66, and a payment computer 68. A user 15 of the system employs a buyer computer to retrieve advertisements from the merchant computers, and to purchase goods of interest. A payment computer is used to authorize a purchase transaction.

A digital advertisement includes a product 20 description and a price. In digital advertisement database 65 prices and descriptions may be stored separately, and one price may apply to many product descriptions.

In an alternate embodiment, the network sales 25 system further includes external devices that are kept in the possession of users so that the users can authenticate themselves when they use a buyer computer.

The software architecture underlying the 30 particular preferred embodiment is based upon the hypertext conventions of the World Wide Web. Appendix A describes the Hypertext Markup Language (HTML) document format used to represent digital advertisements, Appendix B describes the HTML forms fill out support in Mosaic 2.0, Appendix C is a description of the Hypertext 35 Transfer Protocol (HTTP) between buyer and merchant

WO 95/16971

PCT/US94/14319

- 9 -

computers, and Appendix D describes how documents are named with Uniform Resource Locators (URLs) in the network of computers. A document is defined to be any type of digital data broadly construed, such as  
5 multimedia documents that include text, audio, and video, and documents that contain programs.

Figure 2 shows an overview screen that has been retrieved from a merchant computer by a buyer computer and displayed by the buyer computer. It includes links  
10 1, 2, and 3 that when activated by a user cause the buyer's computer to take specified actions. In the case of link 1, the document shown in Figure 3 is retrieved from a merchant computer and displayed. In the case of link 2, a short audio segment is retrieved from a  
15 merchant computer and played. In the case of link 3, the query that can be entered into the query dialog box 4 is sent to a merchant computer, and a document is retrieved from the merchant computer and displayed.

Figure 3 shows a document that contains three  
20 digital advertisements. The digital advertisements have been retrieved from the merchant computer after the activation of link 3. The merchant computer may set the prices contained in the advertisements based on the identity of the user as determined, for example, by  
25 the network address of the requesting buyer computer. The document includes links 5, 6, and 7 that are used to purchase the products described by the advertisements. For example, if link 5 is activated the missing payment information document shown in Figure 4 is retrieved from  
30 the merchant computer and displayed.

Figure 4 is a missing payment information document that is used to gather user account information for the requested purchase in an HTML form. Radio buttons 8, 9, 10, 11, 12 are used to select a means of  
35 payment, dialog box 13 is used to enter an account

WO 95/16971

PCT/US94/14319

- 10 -

number, dialog box 14 is used to enter an optional authenticator for the account, purchase button 15 is used to send the account information to the merchant computer and proceed with the purchase, link 16 is used to abort 5 the purchase and return to the document shown in Figure 2, and dialog box 17 is used to enter optional user information that is associated with the purchase and ultimately used by a financial institution as part of a textual billing identifier for the purchase transaction. 10 If provided, this additional information is included in the payment order for the purchase.

Figure 5 is a fulfillment document 18 that is produced once valid account information is provided to the missing payment information document in Figure 4 and 15 purchase button 15 is activated.

Figure 6 is a flowchart that more fully describes the information flow in the purchase transaction shown in Figures 2 to 5. An initial user inquiry 19 from activating link 1 results in the HTTP request 20 for a 20 specific document with a specified URL. The URL specifies the name of the merchant computer. The merchant computer retrieves the document given the URL at 21, and returns it to the buyer computer at 22. The buyer computer displays the resulting HTML document at 25 23. When the user activates link 5, an HTTP request 25 is sent to the merchant computer requesting the document.

In an alternate embodiment, document 22 is executed at 23 as a program. A program is defined as a set of instructions that can exhibit conditional behavior 30 based upon user actions or the environment of the buyer computer. As is known to those skilled in the art, there are many techniques for representing programs as data. The program can be interpreted or it can be directly executed by the buyer computer. The program when 35 executed will cause the buyer computer to interact with

WO 95/16971

PCT/US94/14319

- 11 -

the user leading to the user purchase request 24, and the purchase message 25.

The merchant computer then attempts to construct a payment order at 26 using the information it has gathered about the user. The buyer computer may have previously supplied certain credentials using fill out forms or other account identification means such as providing the network address of the buyer computer in the normal course of communication. If the buyer computer is able to construct a complete payment order at 26 the payment order is sent to a payment computer for authorization at 27. If a payment order can be constructed, processing continues at 28.

Alternatively, the buyer computer may construct the payment order at 24 and send it to the merchant computer at 25. In this case, the payment order assembly steps at 26, at the merchant computer, may only need to forward the payment order from the buyer computer.

A payment order includes user account information, merchant account information, an amount, and a nonce identifier that has not been previously used for the same user account. Variations of payment orders can be constructed, including payment orders that specify user or merchant identifiers in place of account information, payment orders that specify a valid time period, payment orders that specify foreign currencies, and payment orders that include comment strings. Part of the process of constructing a payment order is creating a corresponding authenticator using one of the authenticator methods described below.

In the illustrated embodiment of Figures 3 and 4, the merchant computer does not have sufficient information to construct a payment order at 26 and thus at 33 (Figure 7) constructs and returns a missing payment information document in response to request 25.

WO 95/16971

PCT/US94/14319

- 12 -

Operation 33 includes in the constructed document appropriate form fields based on what information the merchant computer has already collected from the user. The document is returned to the buyer computer at 34 and is displayed at 35. When the user presses the purchase button 15, the contents of the form are transmitted to the merchant computer, at 36, to a specific URL name, using an HTTP request. Based on the supplied form fields, the merchant computer constructs a complete payment order. Alternatively, the buyer computer may construct the payment order at 35 and send it to the merchant computer as part of step 36. In this case, the payment order assembly steps 37 at the merchant computer simply passes on the payment order from the buyer computer. The payment order is sent to the payment computer in a message at 38.

In either case, the flowchart continues in Figure 6 where the payment computer checks the authorization of the payment order at 28. If the payment system authorizes the request, an authorization message at 29 is returned to the buyer computer, and the merchant computer checks at 30 that the authorization message came from the payment computer using the authenticator mechanism described below. Assuming that the authorization message is valid, the merchant computer performs fulfillment at 30, returning the purchased product in response at 31. In our example in Figure 5 the response at 31 is document 18 that was the logical target of link 5. If the payment system does not authorize the payment order then response 31 is a rejection of the user's purchase request.

In an alternate embodiment, step 30 can encrypt the document using a key that is known to the buyer computer. As is known to those skilled in the art, the key can be communicated to the merchant computer using convention key distribution protocols. In this manner

WO 95/16971

PCT/US94/14319

- 13 -

the document will be protected from disclosure to other users.

The fulfillment step at 30 can alternatively schedule a physical product to be shipped via ordinary mail or other means. This can be accomplished by updating a fulfillment request database or by sending a message to a shipping system. In this case the response at 31 is a confirmation that the product has been scheduled to ship. In this way the network sales system can implement an electronic mail order system.

Figures 8, 9, 10, and 11 show a second example that uses query based access to digital advertisements. It is assumed that the previous example was used by the user immediately before at the same buyer computer.

Figure 8 shows the overview screen where the query "movie review" has been entered into dialog box 39. When the user activates process button 40, the merchant searches databases as described by the URL attached to button 40, and creates a response document as shown in Figure 9.

Figure 9 shows digital advertisements 39, 40, 41, 42, 43, and 44 that were found in response to the query initiated by button 40. A scroll bar 45 shows that there are additional digital advertisements that are not shown. When link 46 is activated, the missing account information document shown in Figure 10 is returned by the merchant computer.

Figure 10 shows that the merchant computer has partial information on the buyer's account. Message 47 shows that the merchant computer already knows the buyer's account number. Purchase button 48 will send the optional user reference string in dialog box 50 to the merchant computer described by the URL behind button 48 and purchase the product corresponding to digital

WO 95/16971

PCT/US94/14319

- 14 -

advertisement 39. Cancel link 49 will return the user to the document shown in Figure 2.

When purchase button 48 is activated, a document 51 is sent by the merchant computer and displayed by the 5 buyer computer as shown in Figure 11.

Figure 12 shows an alternative method of processing a sales transaction. In this method when the user requests a purchase at 52, the buyer computer constructs a payment order at 53 and sends it for 10 approval to the payment computer at 54. The payment computer authorizes the payment order at 55; and when the payment order is authorized, returns an unforgeable certificate at 56 that the payment order is valid. Means of creating such unforgeable certificates are described in 15 authenticator method number one below. If at step 55 the payment order is not authorized, a rejection message is sent at 56 and the sales transaction is terminated.

The buyer computer then proceeds at 57 to send a pre-authorized purchase request to the merchant computer. 20 The unforgeable certificate 56 is included in a purchase message at 57 that is sent at 58 to the merchant computer. Based upon the pre-authorized payment order 25 the merchant computer performs fulfillment at 59 and returns the product at 60. In a variation, the merchant computer at 59 checks to ensure the payment order has not been previously used. This can be accomplished by 30 checking with a payment computer or maintaining a merchant computer database of previously accepted payment orders. The unforgeable certificate created at step 56 does not need to include the user account information. This variation is useful if the user wishes to make purchases and remain anonymous to the merchant.

WO 95/16971

PCT/US94/14319

- 15 -

**A Network Payment System**

A network payment system 300 as shown in Figure 13, employs a public packet-switched network 69 to interconnect a plurality of client computers 70 and 71, 5 and a plurality of payment computers such as 72, each payment computer having an account database 73, a settlement database 74, an authorized address database 75, a sender credential database 76, a financial system interface 77, and a real-time authorization interface 78. 10 The interfaces 77 and 78 may be implemented by a single communications line.

In an alternate embodiment, the network payment system further includes external devices that are kept in the possession of users so that the users can 15 authenticate themselves when they use a buyer computer.

Account database 73 maintains temporal spending amounts, such as the amount spent in the current day, and also maintains temporal spending limits. The account database may also maintain a translation between 20 principal identifiers and external account identifiers. Settlement database 74 records committed payment orders along with any authorization information for the orders that was obtained from interface 78. Address database 75 maintains for each sender a list of authorized buyer 25 computer and delivery addresses. Credential database 76 maintains a list of credentials for principals and information that can be used to authenticate principals.

Figure 14 is a flowchart that describes the operation of the payment system. A client computer 71 30 constructs a payment order at 79, and computes and adds an authenticator to the payment order at 80. The payment order is sent at 81 to a payment computer, where the authenticator is verified at 82 to ensure that the payment order was originated by the sender it describes.

WO95/16971

PCT/US94/14319

- 16 -

Below we present different means of implementing 80 and 82.

If the payment order is authentic and address restrictions are desired, at 83, either or both of the client computer address or the specified delivery address can be checked against address database 75. If address restrictions are desired and if the addresses in the payment order are not in the database, the payment computer sends a rejection message to the client computer. Address database 75 specifies, for each principal, acceptable client computer addresses and delivery addresses. A delivery address can be a network address, or a street address for packaged goods. As is known in the art, database 75 can include wild-card specifications and similar techniques to reduce its size.

For example, database 75 could contain an entry for principal identifier "\*@acme.com" restricting legal delivery addresses to "computer: \*.com", "computer: cmu.edu", and "surface: \*, 34 Main Street, Anytown, USA", indicating that any user at the company Acme can order products to be delivered to the network address at Acme or the university CMU, or to anyone at 34 Main Street, Anytown, USA.

If payment order address restrictions are not desired or have been checked, processing continues at 84 where the payment order is checked for replay and temporal spending limits. Replay is checked for by making sure that the sender did not previously present a payment order with the same nonce by checking an index of committed payment orders by nonce in settlement database 74. If nonces are based on time, then a payment order that is older than an administratively determined value can be rejected out of hand. Time based nonces or sequential nonces permit old nonces to be removed from the settlement database 74. If a payment order has been

WO 95/16971

PCT/US94/14319

- 17 -

previously processed or its nonce is too old, the payment order computer sends a rejection message to the client.

After the payment order passes the replay check, temporal spending limits are checked in account database

5 73. These spending limits can be applied on a per sender, per group of senders, and per payment system basis to limit fraud risk. The limits can be applied to any duration of time, for example a maximum spending amount per hour or per day. If the payment order would  
10 violate a spending limit, the payment computer sends a rejection message to the client.

Once the payment order passes the temporal spending check at 84, a message is constructed at 85 to check that the external account that backs the sender's  
15 payment system account has adequate funds or credit. If the sender identifier in the payment order is not already an account number in the external financial system, it is translated into a corresponding account number in the external financial system using account database 73. A  
20 real-time authorization request message is sent at 86 to the external financial system over interface 78. If the external financial system approves authorization request 86, an authorization message is returned at 87. If request 86 is not approved, the payment computer sends a  
25 rejection message to the client at 87.

In a variation of the above described approach, processing continues at 95 after 84. At 95 real-time authorization is only obtained when the total of a sender's payments since the last real-time authorization  
30 reaches a preset value, or the payment order is over a preset amount. These preset values can be optionally recorded on a per principal basis in database 73 or can be administratively determined for all principals. In this manner, the number of messages to the external  
35 financial system can be reduced. In addition, the

WO95/16971

PCT/US94/14319

- 18 -

payment system can avoid making real-time authorization requests for small payments when the risk is acceptable to the payment system operator. If real-time authorization is necessary, processing continues at 85  
5 after 95. If real-time authorization is not necessary for a request, at 100 the payment order amount is added to the sender's total of payments since the last real-time authorization in database 73, and processing continues at 88.

10 In another variation after 100 a check is made at 101 in database 73 to see if a background authorization process should be scheduled. A background authorization process permits the payment computer to continue its normal processing while it checks with the financial  
15 authorization network on the sender's account. This mechanism can be used to limit payment system risk. If the background authorization fails, the account is suspended by so updating database 73. If the sender's total of payments since last authorization is over a  
20 preset value stored in 73 then a background authorization process is scheduled at 102. Otherwise processing continues at 88.

In another variation, at 95 and 101 authorizations are obtained based on the amount spent  
25 since last authorization and time since last authorization.

At 88 the payment order is committed to execution and is recorded in settlement database 74. Recorded with the payment order in database 74 are portions of  
30 authentication message 87 that show that the payment computer contacted the remote financial system. The amount of the payment order is added to running temporal spending records in database 73, and an authorization message is sent to the client computer at 90. The  
35 authorization message includes the payment order. In an

WO 95/16971

PCT/US94/14319

- 19 -

alternate embodiment, at 90 the authorization message contains a truncated payment order that includes at least the payment order's sender and the payment order's unique nonce.

5 In an alternate embodiment, the authorization message sent to the client at 90 includes at least one legal delivery addresses for the sender as determined from database 75.

10 Authorization message 90 must be transmitted in such a way that the client computer can be sure that it came from the payment computer. At 89 a payment system specific authenticator is added payment order. At 91 this authenticator is checked by the client computer. The steps at 89 are a dual of step 80, and the steps at 15 91 are a dual of step 82. The authentication means for steps 89 and 91 are described below.

Finally, settlement is performed at 92 in the external financial system 77 between external accounts that correspond to the sender and the beneficiary. If 20 settlement is accomplished as part of real-time authorization at steps 86 and 87, as may occur in a real-time debit network, then no other steps need to be taken. If settlement is not accomplished as part of the authorization process, then financial system messages are 25 sent to interface 77 to effect settlement. Depending on the external accounts involved, these messages may include electronic funds transfer messages or automated clearinghouse messages.

In an alternate embodiment, at 92 settlement 30 messages are sent to reconcile net transfer balances between principles on a temporal basis, for example once a day. In this embodiment the number of settlement messages can be less than the number of payment orders.

Authenticators may be created and checked using 35 one of the following methods. The payment computer can

WO 95/16971

PCT/US94/14319

- 20 -

use any of the first four methods, and the client computer can use any of the methods described.

In a first method for authenticators, at steps 80 or 89, a digest of the payment order is signed by the sending computer using a public-key cryptographic system such as RSA. This signature is used as the authenticator. As is well known in the art, the signing can be accomplished using a private key created from a public-key pair, where the signing key is only known by the signer, and the other public key is known to the receiving computer. At the payment computer the public key corresponding to each sender is kept in credential database 76. The private key for the payment service is also kept in database 76. At steps 82 or 91, the signature of the received message is checked using the public key known to the receiving computer.

In a second method for authenticators, at steps 80 or 89, a digest of the payment order is signed by the sending computer with a private key cryptosystem such as DES. This signature is used as the authenticator. At the payment computer, the private key corresponding to each sender is kept in credential database 76. At step 80, a digest of the payment order is signed by the client computer, and at step 89 a digest of the payment order with an added approval code is signed by the payment computer using the same private key. At steps 82 or 91, the signature of the received message is checked using the shared private key.

In a third method for authenticators, at step 80 the authenticator is computed by a protected device external to the system such as a Smart-Card. A protected device is specifically designed to be extremely difficult both to replicate and to compromise. In this method, the payment order is communicated at 80 to a Smart-Card. The Smart-Card computes and signs a digest of the payment

WO 9S/16971

PCT/US94/14319

- 21 -

order, and then communicates the signature back at 80 to be used as an authenticator. A Smart-Card produced authenticator uniquely associates a payment order with its creating Smart-Card. This is accomplished by having 5 the Smart-Card contain a secret key "K" that is used to create a digital signature of the payment order. "K" is never released outside of the Smart-card. The Smart-Card is designed to make it computationally infeasible to compute "K" even with possession of the device. In this 10 method, at step 82, a signature checking key from database 76 is used to check the authenticator. In an alternate embodiment, a user must manually signal their acceptance of each payment order on an input device that is part of the external device before the authenticator 15 is created by the external device.

In a fourth method for authenticators, at steps 80 or 89, a network address is used as an authenticator. At steps 82 or 91, a digest of the payment order is sent back to the specified network address along with a random 20 password. The computer at the specified network address must then return the payment order digest along with the password. If the network guarantees to deliver messages to the proper network address, this method will guarantee that the user or computer at the specified network 25 address approves of the payment order. Assuming that network delivery is trusted, this method can be used to authenticate a sender computer's network address in a payment order. Alternatively, electronic mail can be used to send such confirmation messages between a user 30 and the payment system.

In a fifth method for authenticators, at step 80, the authenticator is produced by an external device that produces a sequence of non-predictable transaction identifiers that are device specific. The authenticator 35 is entered by the user into the client computer by

WO 95/16971

PCT/US94/14319

- 22 -

reading its display. One such device is described in U.S. Patent 4,856,062. According to this method, at step 91, the authenticator can be checked using the sender specific fixed code of the device which is kept in database 76. This sequence of steps is also shown in Figure 15 at steps 93 and 94.

In a sixth method for authenticators, at step 80, the authenticator is obtained by querying the user for a transaction identifier that is the next string from a physical list of one-time authorization strings. Such as list could be produced on a card, and the user can cross off authorization strings as they are used. According to this method, at step 91, the authenticator is checked against the next expected string from the sender using database 76. Database 76 can hold for each sender a list of random authorization strings, or can hold a sender specific secret key that was used to generate the list of authentication strings along with how many strings have been used so far. This sequence of steps is also shown in Figure 15 at 93 and 94.

In a seventh method for authenticators, at step 80 the authenticator is a previously obtained personal identification number (PIN) for the user. In this method in 91 the authenticator is checked against the expected PIN for the sender using database 76.

As will be obvious to one skilled in the art, any of the methods for creating authenticators can be used together to increase system security. For example, authenticator method six can be used to create an authenticator based on a transaction identifier, and then a payment order including a transaction identifier can be given a further authenticator using authenticator method one. In this example the resulting authenticators would be checked with their respective methods.

WO 95/16971

PCT/US94/14319

- 23 -

A digest of a payment order can be created with an algorithm such as MD5 [R. Rivest, The MD5 Message-Digest Algorithm, MIT Laboratory for Computer Science, Network Working Group Request for Comments 1321].

5 Alternatively, a digest can be the entire payment order or other functions of the payment order's component parts.

In addition in both the sales and payment systems alternate authenticator techniques can be used such as  
10 those described by Voydock and Kent in "Security Mechanisms in High-level Network Protocols", Computing Surveys Vol. 15, No. 2, June 1983. As will be appreciated by those skilled in the art, two-way authenticated byte-stream or remote procedure call  
15 interface connections that protect against replay can replace our message based authenticators.

Additions, subtractions, deletions, and other modifications of the described embodiment will be apparent to those practiced in the art and are within the  
20 scope of the following claims.

WO 95/16971

PCT/US94/14319

- 24 -

CLAIMS

1. A network sales system comprising  
a plurality of buyer computers and at least one  
merchant computer interconnected by a communications  
network,  
5 means at each merchant computer for maintaining  
and providing a database of digital advertisements  
comprising  
means for storing said digital advertisements,  
each digital advertisement including a product abstract,  
10 means for communicating a digital advertisement  
to a buyer computer over said network in response to a  
network request from said buyer computer,  
means at each buyer computer for requesting,  
displaying, and responding to digital advertisements  
15 comprising  
means responsive to a user inquiry for selecting  
a merchant computer and obtaining a digital advertisement  
for a product from said database of advertisements at  
said merchant computer,  
20 display means for displaying said advertisement,  
purchase means responsive to a user request for  
communicating a purchase message to said merchant  
computer,  
account identification means for transmitting the  
25 user's account information to said merchant computer,  
means, at said merchant computer, comprising  
authorization means to authorize said purchase  
message by sending messages into a financial system  
network,  
30 fulfillment means to send said product to user  
conditional on approval of said authorization means.

WO 95/16971

PCT/US94/14319

- 25 -

2. The network sales system of claim 1 further wherein said authorization means at said merchant computer comprises
- means for communicating a missing payment information request message to said buyer computer to obtain missing payment information,
- means for receiving said missing payment information from said buyer computer,
- means for authorizing said purchase message by sending messages into a financial system network,
- and said account identification means at said buyer computer comprises
- means responsive to said missing payment information request message to query the user for additional payment information,
- means to send said additional payment information to said merchant computer.

3. The network sales system of claim 1 further wherein said account identification means comprises
- means for assembling a payment order,
- means for sending said payment order to a network payment system for authorization,
- and wherein said authorization means comprises
- means for verifying that said payment order has been previously authorized by said payment system.

4. An electronic sales system comprising
- means for storing a database of digital advertisements, each digital advertisement for a product including a program,
- means for communicating a digital advertisement to a buyer computer,
- means at said buyer computer for displaying and responding to said digital advertisement comprising

WO 95/16971

PCT/US94/14319

- 27 -

response means for sending an authorization message to said client computer, means for sending at least one message into a financial system network to transfer funds from 5 said sender to said beneficiary.

6. The network payment system of claim 5 further wherein said payment specification means comprises means for constructing a payment order, said payment order including a delivery address,  
10 and said verification means comprises means for verifying that said sender originated said payment order and checking said delivery address against a database of allowed delivery addresses for said sender.
- 15 7. The network payment system of claim 5 further wherein said response means comprises means for determining allowed delivery addresses for said sender, means for sending an authorization message to  
20 said client computer that includes allowed delivery addresses.

8. The network payment system of claim 5 further wherein said signing means comprises means for generating the next expected transaction identifier for said sender and using it to  
25 create an authenticator, and wherein said verification means comprises means for generating the next expected transaction identifier for said sender, and  
30 means for verifying that said authenticator was created using said transaction identifier.

WO 95/16971

PCT/US94/14319

- 28 -

9. The network payment system of claim 5 further wherein said signing means comprises means for generating an authenticator using an external device,

5 and wherein said verification means comprises means for verifying that said authenticator was created using said external device.

10. The network payment system of claim 5 further wherein said payment specification means comprises

means for constructing a payment order from a sender, said payment order including a client computer's network address, and said verification means comprises

15 means for verifying said payment order was constructed at said client computer's network address and checking said client address against a database of allowed client addresses for said sender.

11. The network payment system of claim 5 further wherein said authorization means comprises determination means for determining the necessity for real-time authorization, means for performing real-time authorization conditioned on said determination means.

25 12. A method for effecting sales over a network sales system having a plurality of buyer computers and at least one merchant computer interconnected by a communications network, encompassing the steps of maintaining and providing a database of digital advertisements at each merchant computer storing said digital advertisements, each digital advertisement including a product abstract,

30

WO 95/16971

PCT/US94/14319

- 29 -

communicating a digital advertisement to a buyer computer over said network in response to a network request from said buyer computer,

requesting, displaying, and responding at each 5 buyer computer to digital advertisements comprising the steps of

selecting in response to a user inquiry a merchant computer and obtaining a digital advertisement for a product from said database of advertisements at 10 said merchant computer,

displaying said advertisement,

communicating in response to a user request a purchase message to said merchant computer,

transmitting the user's account information to 15 said merchant computer,

authorizing at said merchant computer said purchase message by sending messages into a financial system network, and

sending said product to said user conditional on 20 approval from said authorizing step.

13. The network sales method of claim 12 further wherein said authorizing step, at said merchant computer, comprises the steps of

communicating a missing payment information 25 request message to said buyer computer to obtain missing payment information,

receiving said missing payment information from said buyer computer,

authorizing said purchase message by sending 30 messages into a financial system network,

and said account identification step at said buyer computer comprising the steps of

WO 95/16971

PCT/US94/14319

- 30 -

querying the user for additional payment information responsive to said missing payment information request message,

and sending said additional payment information to said merchant computer.

14. The network sales method of claim 12 further wherein said account identification step comprises the steps of

10 assembling a payment order, and sending said payment order to a network payment system for authorization,

and wherein said authorization step comprises the step of

15 verifying that said payment order has been previously authorized by said payment system.

15. An electronic sales method comprising the steps of

20 storing a database of digital advertisements, each digital advertisement for a product including a program,

communicating a digital advertisement to a buyer computer,

25 displaying and responding to said digital advertisement at said buyer computer comprising the steps of

30 displaying said digital advertisement by executing a portion of said advertisement as a program and performing actions as specified by said program, communicating a purchase message in response to a user request to a merchant computer,

35 sending at said merchant computer said product to user.

WO 95/16971

PCT/US94/14319

- 31 -

16. A network payment method comprising the steps of interconnecting a plurality of client computers and at least one payment computer by a public packet switched communications network,
- 5 performing payment at a client computer comprising the steps of
- constructing a payment order from a sender to a beneficiary,
- authenticating said payment order as originating
- 10 from said sender;
- sending said payment order to a payment computer, and receiving a payment order authorization message from said payment computer,
- responding to a payment order message at said
- 15 payment computer comprising the steps of
- verifying that said sender originated said payment order,
- sending a message into a financial authorization network to verify that said sender has adequate funds or
- 20 credit and receiving an authorization in response,
- recording said payment order and authorization in a settlement database,
- sending an authorization message to said client computer,
- 25 and sending at least one message into a financial system network to transfer funds from said sender to said beneficiary.

17. The network payment system of claim 16 further wherein said constructing step means comprises
- 30 the steps of
- constructing a payment order, said payment order including a delivery address,

WO 95/16971

PCT/US94/14319

- 32 -

verifying that said sender originated said payment order, and  
checking said delivery address against a database of allowed delivery addresses for said sender.

5 18. The network payment method of claim 16 further wherein said second sending step comprises the steps of

determining allowed delivery addresses for said sender,  
10 and sending an authorization message to said client computer that includes allowed delivery addresses.

19. The network payment method of claim 16 further wherein said authenticating step comprises the 15 steps of

generating the next expected transaction identifier for said sender and using it to create an authenticator,  
and wherein said verifying step comprises the 20 steps of

generating the next expected transaction identifier for said sender,  
and verifying that said authenticator was created using said transaction identifier.

25 20. The network payment method of claim 16 further wherein said authentication step comprises the step of

generating an authenticator using an external device,  
30 and wherein said verifying step comprises the steps of

WO 95/16971

PCT/US94/14319

- 33 -

verifying that said authenticator was created using said external device.

21. The network payment method of claim 16 further wherein said constructing step comprises the step  
5 of

constructing a payment order from a sender, said payment order including a client computer's network address,

and said verifying step means comprises the steps  
10 of

verifying said payment order was constructed at said client computer's network address,

and checking said client address against a database of allowed client addresses for said sender.

15 22. The network payment method of claim 16 further wherein said second sending step comprises the steps of

determining the necessity for real-time authorization,

20 and performing real-time authorization conditioned on its determined necessity.

WO 95/16971

PCT/US94/14319

1/16





FIG. 1

WO 95/16971

PCT/US94/14319

2/16



WO 95/16971

PCT/US94/14319

3/16

**NCSA Mosaic: Document View**

*File Options Navigate Annotate Help*

Document Title:

Document URL:



## New York Times Headlines

---

SHUTTLE HUBLE (Houston)- Arriving for a house call 357 miles above Earth, the astronauts of the space shuttle Endeavor on Saturday reached out with a mechanical grappling arm and easily snared the Hubble space telescope and prepared to treat the crippled spacecraft in five days of the most complex orbital repairs yet attempted.

By John Noble Wilford

\$1.00 5

---

HEALTH-ALLIANCE (Washington)- If the Clinton health plan becomes law, it will put a new institution into the lives of most Americans: the health alliance. Almost no other aspect of the plan is so little understood or so radically different from the status quo. By Robin Toner.

\$0.75 6

---

GAMBLING (Las Vegas)- The newest perspective on the booming national industry of legalized gambling is now open for business: futuristic virtual-reality rides to soothe the losers' souls, just up the theme park escalator from acres of the latest video slot machines. By Francis X. Clines.

\$0.75 7

---

**Back Forward Home Reload Open Save As... Clone New Window Close Window**

WO 95/16971

PCT/US94/14319

4/16

**NCSA Mosaic: Document View**

*File Options Navigate Annotate Help*

Document Title: Welcome to The Information Exchange

Document URL: <http://sparta.lcs.mit.edu/gifford/ix-3.html>



**Digital Copyright License Purchase**

In exchange for the specified fee you will be licensed for individual use  
use of copyrighted material.

Charge \$1.00 to my:

- Intetet Card — 8
- Mastercard — 9
- Visa — 10
- American Express — 11
- Discover — 12


Account Number:  — 13

Authenticator:  — 14

Purchase — 15

Cancel — 16

Your Reference:  — 17



**Back Forward Home Reload Open Save As... Clone New Window Close Window**

**FIG. 4**

WO 95/16971

PCT/US94/14319

5/16  
18

**NCSA Mosaic: Document View**

**File Options Navigate Annotate Help**

**Document Title:** TROUBLED HUBLEY SPACE TELESCOPE PULLED IN BY SHUTTLE FOR REPAIRS

**Document URL:** <http://sparta.lcs.mit.edu/gifford/ix-7.html>

**TROUBLLED HUBLEY SPACE TELESCOPE PULLED IN BY SHUTTLE FOR REPAIRS**

BY JOHN NOBLE WILFORD  
The New York Times (Copyright 1993 The New York Times)

priority: Urgent  
date: 12-04-93 1712EST  
category: Domestic  
subject: BC SHUTTLE HUBLEY ART

HOUSTON- Arriving for a house call at 357 miles above Earth, the astronauts of the space shuttle Endeavor reached out Saturday with a mechanical grappling arm and easily snared the Hubble telescope.

The orbital retrieval paves the way for the shuttle's astronauts to treat the crippled spacecraft in five days of the most complex orbital repairs yet attempted.

"Houston, Endeavor has a firm handshake with Mr. Hubble's telescope," Col. Richard D. Covey of the Air Force, the shuttle commander, radioed to Mission Control in Houston after the robotic arm had grasped the 1.6 billion telescope.

The shuttle's successful rendezvous with the orbiting telescope was the first major step in a mission that could be fateful to both astronomy and NASA.

Installing new mirrors to overcome Hubble's blurred vision will return the telescope to its full abilities, giving the astronomers a view almost to the edge of the universe. And such a highly visible success could boost the space agency's reputation at a time it is seeking support for building an international space station.

Once the 12.5-ton telescope was securely berthed in the open cargo bay Saturday morning, it was ready for the astronauts to begin the first of their five space walks early Sunday morning.

The schedule calls for Dr. Musgrave and Dr. Jeffrey A. Hoffman to replace failed gyroscopes, two electronic control units and some fuses.

**Back Forward Home Reload Open Save As... Clone New Window Close Window**

**FIG. 5**

WO 95/16971

PCT/US94/14319

6/16

BUYER  
COMPUTERMERCHANT  
COMPUTERPAYMENT  
COMPUTER

19 User Inquiry

20 Request Advertisement(s)

21 Retrieve Digital  
Advertisement(s)22 Digital  
Advertisement(s)23 Display Digital  
Advertisement

24 User Requests Purchase

25 Purchase Message

26 Construct Payment  
Order

27 Payment Order

28 Authorize Purchase

29 Authorization Message

30 Perform Fulfillment

31 Product

FIG. 6

WO 95/16971

PCT/US94/14319




FIG. 7

WO 95/16971

PCT/US94/14319

8/16




FIG. 8

WO 95/16971

PCT/US94/14319

9/16

**NCSA Mosaic: Document View**

*File Options Navigate Annotate Help*

Document Title: *Query Results: movie review*

Document URL: *http://sparta.lcs.mit.edu/~gifford/ix-4.html*



## QUERY RESULTS: movie review

---

1. Dec. 2 1993 14:32 [78 lines] \$1.00 **46**  
 In "A Dangerous Woman," Debra Winger sinks deeply into the drab role of Martha Horgan, a sheltered innocent living in a small California town. **39** **45**

---

2. Dec. 2 1993 14:23 [60 lines] \$1.00 **40**  
 "Deception" is a fabulously farfetched story about the string of surprises that leads Bessie Faro (Andie MacDowell) all over the world. **41**

---

3. Nov. 26 1993 19:43 [49 lines] \$1.00  
 "Twenty Bucks" follows a \$20 dollar bill from the moment it's dispensed by an automatic teller machine to its destruction months later. Along the way it passes through the hands of dozens of individuals from all walks of life. **42**

---

4. Nov. 23 1993 18:46 [48 lines] \$1.00  
 ("A Perfect World," a drama, is rated PG-13 for language and violence. It received 3 and one-half stars out of 4.)  
 Clint Eastwood and Kevin Costner represent the best of Hollywood's stars who entertain without sacrificing artistic integrity. In "A Perfect World," their reputations remain intact. **43**

---

5. Nov. 23 1993 18:46 [53 lines] \$1.00  
 ("GEORGE BALANCHINE'S 'NUTCRACKER,'" a dance film, is rated G. It received 2 stars out of 4.)  
 A straightforward record of the annual Christmas show staged by the New York City Ballet, "George Balanchine's 'Nutcracker,'" would have gone directly to TV if not for the participation of **44**

---

6. Nov. 23 1993 18:46 [60 lines] \$1.00  
 ("WE'RE BACK! A DINOSAUR'S STORY," an animated feature, is rated G. It received 2 stars out of 4.)  
 Kids won't even understand the best joke in the animated "We're Back! A Dinosaur's Story." It has to do with a godlike time- and space-traveling **45**

---

**Back Forward Home Reload Open Save As... Clone New Window Close Window**

WO 95/16971

PCT/US94/14319

10/16




FIG. 10

WO 95/16971

PCT/US94/14319

11/16

51

**NCSA Mosaic: Document View**

**File Options Navigate Annotate Help**

Document Title: A DANGEROUS WOMAN

Document URL: <http://sparta.lcs.mit.edu/gifford/ix-6.html>



**A DANGEROUS WOMAN**

By JANET MASLIN  
The New York Times (Copyright 1993 The New York Times)

---

priority: Regular  
date: 12-02-93 1432EST  
category: Entertainment and Culture  
subject: BC WOMEN FILM REVIEW

---

In "A Dangerous Woman," Debra Winger sinks deeply into the grab role of Martha Morgan, a sheltered innocent living in a small California town.

Characters like Martha have a way attracting the storyteller's interest at a very precise point in their lives. It is the moment just before the character's peaceful existence is ruptured by some seismic force like sex or death or a symbolic coming of age.

"A Dangerous Woman" is soap opera enough to churn up all three.

With Ms. Winger's eerily convincing performance at its centerpiece, the film creates a world of sexual chicanery that would do any television series proud.

Martha is taken care of by aunt Frances (Barbara Hershey), a rich, beautiful widow involved in an extramarital affair with a state assemblyman (John Terry). That liaison starts off the film with a suitable bang, as the assembly's wife (Laurie Metcalf) drunkenly drives her car into the widow's front porch as a means of registering her irritation.

Martha, a fragile creature in a girlish nightgown and thick glasses, watches this outburst in bewildered horror. But the film intends it as a harbinger of Martha's own act of violence, which is already in the works and will serve as

**Back Forward Home Reload Open Save As... Clone New Window Close Window**

FIG 11

WO 95/16971

PCT/US94/14319

12/16




FIG. 12

WO 95/16971

PCT/US94/14319

13/16





FIG. 13

WO 95/16971

PCT/US94/14319

14/16



WO 95/16971

PCT/US94/14319

15/16

**CLIENT  
COMPUTER****PAYMENT  
COMPUTER****REAL-TIME  
FINANCIAL  
AUTHORIZATION  
NETWORK****Construct Payment Order**Add Transaction Identifier as       93  
part of Authenticator**Payment Order**Verify Authenticator and  
Confirm Transaction  
Identifier is One Expected      94**FIG. 15**

WO 95/16971

PCT/US94/14319

16/16




FIG. 16

## INTERNATIONAL SEARCH REPORT

In. .ational application No.  
PCT/US94/14319

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) :G06F 157.00

US CL :364/401,408

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 364/401, 406, 408; 340/825.33; 380/23, 24; 902/1, 2, 24

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched  
none

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS Database Search

Search terms include: home?(2a)shop?, electronic?(2a)shop?, advertis?(p)program, download?(w)program?

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US, A, 4,799,156 (SHAVIT ET AL.) 17 January 1989, see entire document.	1-22
Y	US, A, 4,992,940 (DWORKIN) 12 February 1991, see col. 2, lines 30-34.	1-22
Y	US, A, 4,775,935 (YOURICK) 4 October 1988, see figures 5b and 6.	4, 15
Y	US, A, 4,935,870 (BURK, JR. ET AL.) 19 June 1990, see col. 15.	4, 15
Y	US, A, 5,025,373 (KEYSER, JR. ET AL.) 18 June 1991, see col. 4, lines 45-58, col. 6, lines 1-25, and col. 8, lines 39-45.	5, 8-9, 16, 19-20

 Further documents are listed in the continuation of Box C. See patent family annex.

* Special categories of cited documents:	-T-	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be part of particular relevance	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"B" earlier document published on or after the international filing date	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reasons (as specified)	"Z"	document member of the same patent family
"O" document referring to an oral disclosure, use, exhibition or other means		
"P" document published prior to the international filing date but later than the priority date claimed		

Date of the actual completion of the international search  
23 JANUARY 1995

Date of mailing of the international search report

01 MAY 1995

Name and mailing address of the ISA/US

Authorized officer *R.J. D.*

PAGE 96/97 \* RCVD AT 8/4/2006 10:12:05 AM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-3/15 \* DNIS:2738300 \* CSID:7038467799 \* DURATION (mm:ss):24-26

## INTERNATIONAL SEARCH REPORT

national application No.  
PCT/US94/14319

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US, A, 4,812,628 (BOSTON ET AL.) 14 March 1989, see entire disclosure.	11, 22
Y	US, A, 4,922,521 (KRIKKE ET AL.) 01 May 1990, see col. 6, lines 1-52.	6-7, 10, 17-18, 21

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- BLACK BORDERS**
- IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- FADED TEXT OR DRAWING**
- BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- SKEWED/SLANTED IMAGES**
- COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- GRAY SCALE DOCUMENTS**
- LINES OR MARKS ON ORIGINAL DOCUMENT**
- REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- OTHER: \_\_\_\_\_**

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**